

CROPCARE



### **Innovative Products, Features, and Solutions**

CropCare<sup>®</sup>'s well-built equipment is engineered with simple reliability, while still offering the latest features and technology available. The variety of options allows you to create a sprayer that fits your exact needs and increases accuracy and efficiency. Our customer support through our dealers is an important part of our package. And, we're able to put this all together in a machine that's an excellent value for your farm.



### **Discover more**

| Trailer Sprayers       | .4-5   |
|------------------------|--------|
| 3PT Sprayers           | .6-7   |
| High Pressure Sprayers | .8-9   |
| Shielded Sprayers      | .10-11 |

| Controls              |
|-----------------------|
| Options & Accessories |
| Manual Booms          |
| Hydraulic Booms       |





# **Trailer Sprayers**

Trailer sprayers offer large tank sizes to cover higher acreage farms and many options for operator efficiency and effectiveness.

| Component   | Option  | 1000 Gal | 750/500 Gal | 400/300/200 Gal |
|-------------|---|----------|-------------|-----------------|
|             | 25' Single Sided Hydraulic Fold Boom                            |          | x           | x               |
|             | 20' or 30' Manual X-fold Booms                                  |          |             | x               |
|             | 30', 40', 45' Hydraulic X-fold Booms w/ Suspension              |          |             | x               |
| Booms       | 45' or 60' Hydraulic Fold Booms w/ Suspension                   | х        | x           | 1               |
|             | Hydraulic Clearance Lift Kits for 45' & 60' Hydraulic Booms     | x        | x           |                 |
|             | Electric over Hydraulic Controls for 45' & 60' Front-Fold Booms | x        | x           |                 |
|             | Boom Suspension System for 30' Manual X-fold Boom               |          |             | x               |
|             | Hypro <sup>®</sup> Diaphragm Pump                               | х        | x           | x               |
|             | Hypro <sup>®</sup> Centrifugal Pump                             | х        | x           | İ               |
| Pumps       | Hypro <sup>®</sup> Belt Drive Pump                              | х        | x           | x               |
|             | Ace® Hydraulic Drive Centrifugal                                | x        | x           | x               |
|             | Electric Control  | x        | x           | x               |
|             | Automatic Rate Controls   | x        | x           | x               |
| Controls    | Manual Controls   |          |             | x               |
|             | High Pressure Electric Controls                                 | x        | x           | x               |
|             | High Pressure Manual Controls                                   |          |             | x               |
|             | GPS System  | x        | x           | x               |
|             | CropCare <sup>®</sup> Foam Marker                               | x        | x           | x               |
|             | Chemical Eduction System  | x        | x           | x               |
|             | Fresh Water Safety Tank   | x        | x           | x               |
|             | 2" Quickfill  | x        | x           | x               |
|             | Boom Lap Nozzle   | x        | x           | x               |
| Accessories | Power Wash System with Jug Rinse and Washdown Hose              | x        | x           | x               |
|             | TeeJet <sup>®</sup> Single or Triple Nozzle Body Kit            | x        | x           | x               |
|             | Safety Light Kit  | x        | x           | x               |
|             | Boom Spot Lights  | x        | x           | x               |
|             | In-Line Boom Filters  | x        | x           | x               |
|             | Side Step   |          |             | x               |
|             | Sight Tube  | x        | x           | x               |
|             | Service Deck  | x        | x           | x               |
|             | Tool Box  | x        | x           | optional        |
| Standard    | Remote Jack Mount   | x        | x           | x               |
| Features    | Hinged Tank Lid   | x        | x           |                 |
|             | Jet Agitation System  | x        | x           | x               |



200 Gal 3PT Sprayer

# **3PT SPRAYERS**

# **3PT Sprayers**

3PT sprayers offer superior maneuverability to minimize damage to crops, particularly in post-emerge spraying applications.

| Component   | Option  | 400/300 Gal HD | 300/200 Gal | 150/110 Gal |
|-------------|---|----------------|-------------|-------------|
|             | 30' Boomless Nozzles  |                | x           | x           |
|             | 12' Manual X-fold Boom  |                |             | x           |
|             | 20' Manual X-fold Booms   |                | x           | x           |
|             | 30' Manual X-fold Booms   |                | x           | x           |
| Peeme       | 30', 40', 45' Hydraulic X-fold Booms with Suspension                  |                | x           | x           |
| Booms       | 45' or 60' Hydraulic Fold Booms with Suspension                       | x              |             |             |
|             | 25' Single Sided Hydraulic Fold Boom                                  | x              | x           | x           |
|             | Hydraulic Lift Kit for 30', 40', or 45' Hydraulic X-Fold Booms        |                | х           | х           |
|             | Hydraulic Lift Kit for 45' or 60' Hydraulic Fold Booms                | x              |             |             |
|             | Hydraulic High Clearance Lift Kit for 45' or 60' Hydraulic Fold Booms | x              |             |             |
|             | Hypro <sup>®</sup> Centrifugal Pump                                   | x              | x           |             |
|             | Hypro <sup>®</sup> Diaphragm Pump                                     | x              | х           | x           |
| Pumps       | Hypro <sup>®</sup> Belt Drive Pump                                    | x              | х           | x           |
|             | Hypro <sup>®</sup> Roller Pumps                                       |                | x           | x           |
|             | Ace <sup>®</sup> Hydraulic Drive Pump                                 | x              | x           | x           |
|             | Electric Controls   | x              | x           | x           |
|             | Automatic Rate Control  | x              | x           |             |
| 0           | Automatic Section Control   | x              | x           |             |
| Controls    | Manual Control  |                | x           | x           |
|             | High Pressure Electric Controls                                       | x              | х           |             |
|             | High Pressure Manual Controls   |                | х           | x           |
|             | GPS System  | x              | x           |             |
|             | CropCare <sup>®</sup> Injection Foam Marker                           | x              | x           |             |
|             | CropCare <sup>®</sup> 5 Gal Foam Marker                               | x              | x           | x           |
|             | 2" Quick-fill   | x              | x           | x           |
|             | Convenience Kit - 25 Gal Rinse, Chemical Eduction, Quick-fill         | x              | x           |             |
|             | Electric Boom Lap Nozzle  | x              | x           | x           |
|             | Manual Boom Lap Nozzle  |                | x           | x           |
| Accessories | Spray Handgun with Hose   | x              | x           | x           |
|             | TeeJet® Single Nozzle Body Kit  | x              | x           | x           |
|             | TeeJet® Triple Nozzle Body Kit  | x              | x           |             |
|             | Side Step / Operator Platform   | x              | x           |             |
|             | Adjustable Legs with Pivoting Feet                                    | x              | x           |             |
|             | Cat 2 Frame   | x              | x           | x           |
|             | Cat 3N / 3 Frame  | x              |             |             |
|             | Sight Tube  | X              | x           |             |

CropCare<sup>®</sup> high pressure produce sprayers are designed with features specifically for the thorough application of fungicides and pesticides on fruit and vegetable crops to effectively control insects and disease. This equipment helps you achieve consistent production of high grade products that the market demands.

# HIGH PRESSURE PRODUCE SPRAYERS

# **High Pressure Produce Sprayers**

#### **Standard Features**

- Heavy-duty powder coated steel frame & components
- Easy-to-operate manual or electric controls
- Boom breakaway protection
- Quick-attach no drip nozzle bodies
- In-line filter system
- 2 year limited warranty

#### Frame & Tank Options

| Tank     | 3PT Hitch | Category | Trailer |
|----------|-----------|----------|---------|
| 110 gal  | •         | 1, 2     |         |
| 150 gal  | •         | 1, 2     |         |
| 200 gal  | •         | 2        | •       |
| 300 gal  | •         | 2, 3, 3N | •       |
| 400 gal  | •         | 2, 3, 3N | •       |
| 500 gal  |           |          | •       |
| 750 gal  |           |          | •       |
| 1000 gal |           |          | •       |

### **Control Options**

- Arag<sup>®</sup> manual control
- CropCare<sup>®</sup> electric control
- TeeJet<sup>®</sup> automatic rate control

#### **Pump Options**

A Hypro<sup>®</sup> diaphragm pump of various sizes is standard equipment on these sprayers. Available with capacities from 19 gpm to 66 gpm and up to 290 psi.

#### **Boom Options**

• 25' single sided hydraulic fold boom

Leveling and height adjustments up to 84" of clearance

Boom suspension systems

• 30', 40', or 45' hydraulic x-fold boom

Leveling and manual height adjustments up to 48" of clearance

Boom suspension systems

• **45' or 60' hydraulic fold boom** Leveling and height adjustments up to 84" of clearance

Boom suspension systems

 20' or 30' manual fold boom Height adjustments up to 48" of clearance



High pressure 3PT sprayer



Arag<sup>®</sup> high pressure manual control



Hypro® D135 Diaphragm pump



TeeJet<sup>®</sup> Radion 8140 automatic rate control CropCare<sup>®</sup> shielded sprayers increase targeted herbicide spray capabilities between rows where it is critical to limit drift on the surrounding vegetables, fruits, or other crops. The clear Lexan shields are adjustable for different row widths, and the spray tips can easily be moved to various positions. Most adjustments can be made quickly without the use of any tools.

# SHIELDED SPRAYER

# **Shielded Sprayer**

#### **Standard Features**

- 110 gal tank
- Heavy-duty powder coated steel frame & components
- In-line filter system
- Quick-attach no drip nozzle bodies
- Jet agitation
- Attaches to category I or 2 three point hitches
- 2 year limited warranty

#### Controls

Manual controls are conveniently reached from the tractor seat. Two levers provide individual shut-offs for each set of spray nozzles. A pressure regulator valve provides tank agitation and spray system pressure adjustment.

#### **Pump Options**

All pump options have a capacity of 9.7 gpm and 150 psi

#### Hypro<sup>®</sup> 6500C cast iron

- Maximum pump life of 140 hours
- Hypro<sup>®</sup> 6500N ni-resist
- Maximum pump life of 332 hours
- Hypro<sup>®</sup> 6500XL silver series
- Pump still meets new pump specs at 1000 hours

### **Shielded Boom**

The shielded boom is versatile and can be set to many different heights and widths. The clear shields are made of tough Lexan plastic. A wheel on the front of each shield allows it to ride on the ground to provide maximum drift protection at all times.

### **Spray Nozzles**

TeeJet<sup>®</sup> extended range air induction flat fan nozzles

· Spray herbicides across a wide pressure range (15-90 psi)



6B manual control



Silver series roller pump



Air induction spray nozzle



### **Control Options**

#### **Manual Control Units**

Manual controls are manufactured from durable, chemical resistant, poly, and stainless steel components. These quality components create an economical, dependable, and easy-to-operate sprayer control unit.

#### TeeJet® 6B low pressure manual controls

- Diaphragm type pressure relief valve
- Throttling valve for agitation control
- Liquid filled 0 to 160 psi pressure gauge

#### Arag<sup>®</sup> high pressure manual controls

- Plunger type pressure relief valve
- Liquid filled 0 to 300 psi pressure gauge

### **CropCare® Electric Sprayer Controls**

CropCare<sup>®</sup> electric sprayer controls are designed with simple and tough electronic components that provide convenient control of boom sections, pressure and foam marking systems resulting in a more accurate application. The weather-resistant control box can be installed in either open or closed cab tractors.

- Durable, weatherproof aluminum housing
- · Durable electrical components without circuit board
- Compact wiring harness with weatherproof disconnects
- Heavy-duty toggle switches control pressure regulating valve and boom sections

#### SC500

- Five section control
- Can be coupled with AC200 accessory box for lap nozzle and foam marker controls



TeeJet® 6B manual control

SC500 with optional AC200

#### SC400

• Three section control with integrated lap nozzle and foam marker switch

#### AC200

- Foam marker and lap nozzle controls
- Can be coupled with all TeeJet® and CropCare® sprayer controllers



#### **Automatic Rate Control Systems**

CropCare<sup>®</sup> sprayers are designed to utilize the latest automatic rate control options like the TeeJet<sup>®</sup> Radion 8140 as well as other trusted TeeJet<sup>®</sup> and Raven<sup>®</sup> products. The investment in automatic rate control is quickly repaid in chemical cost savings, gained efficiencies, and reduced operator fatigue.

## **Pump Options**

CropCare<sup>®</sup> sprayers are offered with a variety of pump selections to best utilize your tractor's capabilities and enable you to achieve the performance required for your various application needs.



Belt drive centrifugal pump



Hydraulic drive centrifugal pump



Diaphragm pump

### **Options and Accessories**



TeeJet® Matrix guidance system



Plumbing control valve



Chemical eduction system



Fresh water rinse system



25' washdown hose

Choosing accessories adds versatility, accuracy, and ease of use to your sprayer.

#### **TeeJet<sup>®</sup> GPS Guidance Systems**

- Multiple guidance modes and optional automatic section control increases the accuracy
  of your application while reducing operator fatigue
- · Mapping and coverage data allows you to easily document and review application history

#### **5 Way Plumbing Control Valve**

Simplifies sprayer functions including eduction, rinse, quick-fill, and spraying

#### **Chemical Eduction System**

- Safely incorporate liquid or dry flowables into the spray tank from ground level
- Eduction rates up to 20 gal/minute
- Washdown feature built into tank

#### Fresh Water Rinse System

Conveniently rinse your sprayer without leaving the field to properly handle chemical residue and protect the life of your sprayer components

#### Power Wash System with Jug Rinse and Washdown Hose

- Jug rinse nozzle is conveniently located in chemical eduction tank to clean out empty chemical containers
- 25' washdown hose connected to the fresh water rinse tank for cleaning and safety

#### **Boom Lap Nozzle**

- Adds an additional nozzle to boom for improved coverage on the outside pass around the field
- Manual valve or electric shut-off valve

#### **TeeJet® Triple Nozzle Body Kit**

- Allows up to three nozzles for different applications or rates
- Quickly change nozzles or flush the boom
- Positive shut-off between each spray position

#### 2" Quick-Fill

- Decreases sprayer loading time
- · Allows operator to fill sprayer using a transfer pump or by gravity feeding

#### Safety Light Kit

- Increases safety during road transport
- · Installed with a standard seven pin plug to fit on most tractors

#### **In-Line Boom Filters**

- Minimizes clogged spray nozzles
- One in-line boom filter per boom section

#### Hydraulic Boom Height Control

- 54" clearance hydraulic lift, available on all hydraulic fold booms
- 84" clearance hydraulic lift, available on 45' and 60' front fold booms

#### Sight Tube

• Easily monitor tank level

#### **CropCare® Foam Marker**

· Visible and easy to follow large foam drops reduce overlapping and skipped areas



2" quick-fill adapter



Safety lights



In-line boom filters



CropCare® foam marker

### **Manual Fold Booms**

### **Standard Features**

- Heavy-duty powder coated frame
- Boom breakaway system
- Engineered to smoothly fold open or closed


#### **30' Boomless Nozzles**

 Applications where a boom is not practical or accuracy is less critical



#### 13' Manual X-fold Boom

• Ideal for turf or small plot spraying



• Covers eight 30" rows

#### 30' Manual X-fold Boom

Covers twelve 30" rows





Boom folding and breakaway mechanism on 13' and 20' models

Boom folding and breakaway mechanism on 30' model



Optional boom suspension system (30' boom) helps booms ride smoother, increases application accuracy, and reduces stress on booms

#### 25' Hydraulic Single-Sided Boom

- Coil spring suspension system helps keep boom stable in uneven field conditions •
- Covers ten 30" rows •
- Hydraulic folding, leveling, and height adjustment •
- Height ranges from 24" to 84" •



#### 30' Hydraulic X-fold Boom



#### 40' Hydraulic X-fold Boom



#### 45' Hydraulic X-fold Boom

Covers eighteen 30" rows ٠

#### 45' Hydraulic Front Fold Boom

- Covers eighteen 30" rows •
- Standard safety light kit

#### 60' Hydraulic Front Fold Boom

- Covers twenty-four 30" rows •
- Standard safety light kit

# **Hydraulic Fold Booms**

### **Standard Features**

- Heavy-duty powder coated frame •
- Boom breakaway system
- Left and right boom wings are folded and leveled ٠ independently
- Manual winch system makes raising and lowering the • boom convenient
- Air ride boom suspension •





Integrated boom suspension system helps boom ride smoother, reduces boom stress, and promotes spray accuracy

Standard boom height controlled by winch or optional hydraulic cylinder



Safety light package (required for boom spot light)





# **CropCare® Commitment, Value, Support**

CropCare<sup>®</sup> is committed to serving you with well-engineered equipment that meets high standards of reliability and value. We take seriously our responsibility as a manufacturer to provide you with relevant equipment that meets your expectations.

We want our equipment to be useful, so we build dependable features that stand the test of time and strive for a balance between simplicity and functionality. We back everything we make with a CropCare<sup>®</sup> factory warranty to help you fully utilize your equipment and maximize the value of your investment.

### **Our Dealer Network**

Our growing and knowledgeable dealer network helps to ensure that CropCare<sup>®</sup> equipment is supported and serviced promptly. So, whether it's routine maintenance or that unexpected problem, you can count on outstanding dealership support to help you achieve the timely applications of products that are vital to your success.

# Experience the quality, Enjoy the results



Vegetable Equipment Catalog

Picking Assistant Plastic Mulch Lifter-Wrapper Shielded Boom Sprayer



Farm & Lawn Sprayers Catalog

25 Gal ATV Sprayers 40 & 60 Gal ATX Sprayers Lawn & Garden Sprayers Spot Sprayers 60 - 300 Gal 3PT Sprayers




#### Hay Tools & Foam Markers Catalog

Bale Movers Liquid Applicators Foam Markers Foam Injection Marker

**Distributed by** 

© PBZ LLC 2017. Offers containing unintentional errors (in words or images) will be void. PBZ LLC reserves the right to change specifications without notice.





717-738-7365

Manufactured by PBZ LLC 295 Wood Corner Rd | Lititz, PA 17543 CropCareEquipment.com

a Paul B. Zimmerman, Inc. company